

Sista F 101 all colours

Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 11

SDS No.: 41100 V003.1

Revision: 16.02.2017

printing date: 27.04.2021

Replaces version from: 06.02.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sista F 101 all colours

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Joint sealants

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0 Fax-no.: +49 211 798 2009

ua-productsafety.de@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains 4,5-Dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Precautionary statement: P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. MSDS-No.: 41100 Sista F 101 all colours Page 2 of 11

V003.1

2.3. Other hazards

Evolves acetic acid during cure.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

1-Component silicone joint sealant, acetate-curing (acidic)

Base substances of preparation:

Polydimethyl siloxane Inorganic fillers

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		2
Destillates (Petroleum), Hydrocarbon aliph	265-149-8	5-< 10 %	Asp. Tox. 1
dearomat <0.1% benzene	01-2119453414-43		H304
64742-47-8	01-2119456377-30		
	01-2119456620-43		
Distillates (Petroleum) hydrotreated middle;	265-148-2	5-< 10 %	Asp. Tox. 1
Gasoil - unspecified	01-2119552497-29		H304
64742-46-7	01-2119827000-58		
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	264-843-8	50 - < 250 PPM	Acute Tox. 4; Oral
64359-81-5			H302
			Skin Corr. 1C
			H314
			Skin Sens. 1; Dermal
			H317
			Acute Tox. 2; Inhalation
			H330
			Aquatic Acute 1
			H400
			Aquatic Chronic 1
			H410
			M factor (Acute Aquat Tox): 100 M factor
			(Chron Aquat Tox): 10

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation

Move to fresh air, consult doctor if complaint persists.

Skin contact

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

MSDS-No.: 41100 Sista F 101 all colours Page 3 of 11

V003.1

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid contact with skin and eyes.

Wear protective equipment.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly sealed.

Store in a cool, dry place.

Temperatures between + 5 $^{\circ}$ C and + 25 $^{\circ}$ C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Joint sealants

MSDS-No.: 41100 Sista F 101 all colours Page 4 of 11

V003.1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Germany

Ingredient [Regulated substance]	ppm	mg/m ³	V 1	Short term exposure limit category / Remarks	Regulatory list
Silicon dioxide 112945-52-5		4	r · · · · · · · · · · · · · · · · · · ·	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

Predicted No-Effect Concentration (PNEC):

Name on list	Environmental		Value				Remarks
	Compartment	period			1		
			mg/l	ppm	mg/kg	others	
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	aqua					0,034 µg/L	
64359-81-5	(freshwater)						
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	sediment				0,41 mg/kg		
64359-81-5	(freshwater)						
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	sediment				0,0034		
64359-81-5	(marine water)				mg/kg		
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	sewage					0,064 mg/L	
64359-81-5	treatment plant						
	(STP)						
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	soil				0,062		
64359-81-5					mg/kg		
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	oral					4,49 mg/kg	
64359-81-5						food	
4,5-Dichloro-2-octyl-2H-isothiazol-3-one	aqua (marine					0,0068 µg/L	
64359-81-5	water)						

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Combination filter: ABEKP (EN 14387)

This recommendation should be matched to local conditions.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

MSDS-No.: 41100 Sista F 101 all colours Page 5 of 11

V003.1

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid

pasty

varied, according to

coloration

Odor of acetic acid

Odour threshold No data available / Not applicable

pH No data available / Not applicable
Initial boiling point No data available / Not applicable
Flash point No data available / Not applicable
Decomposition temperature No data available / Not applicable
Vapour pressure No data available / Not applicable

Density 1,03 g/cm³

(20 °C (68 °F))

Bulk density
No data available / Not applicable
Viscosity
No data available / Not applicable
Viscosity (kinematic)
No data available / Not applicable
Explosive properties
No data available / Not applicable

Solubility (qualitative) Insoluble

(23 °C (73.4 °F); Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable No data available / Not applicable Flammability No data available / Not applicable Auto-ignition temperature **Explosive limits** No data available / Not applicable No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate Vapor density No data available / Not applicable No data available / Not applicable Oxidising properties

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

Evolves acetic acid during cure.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

MSDS-No.: 41100 Sista F 101 all colours Page 6 of 11

V003.1

Sensitizing: An allergic reaction cannot be excluded after repeated skin contact.

Acute oral toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Destillates (Petroleum),	LD50	> 5.000 mg/kg	oral		rat	OECD Guideline 401 (Acute
Hydrocarbon aliph						Oral Toxicity)
dearomat <0.1% benzene						
64742-47-8						
Distillates (Petroleum)	LD50	> 5.000 mg/kg	oral		rat	OECD Guideline 401 (Acute
hydrotreated middle;						Oral Toxicity)
Gasoil - unspecified						
64742-46-7						
4,5-Dichloro-2-octyl-2H-	LD50	1.636 mg/kg	oral		rat	not specified
isothiazol-3-one						
64359-81-5						

Acute inhalative toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Destillates (Petroleum),	LC50	> 5,3 mg/l	dust/mist	4 h	rat	not specified
Hydrocarbon aliph						
dearomat <0.1% benzene						
64742-47-8						
Distillates (Petroleum)	LC50	> 5,266 mg/l	dust/mist	4 h	rat	not specified
hydrotreated middle;						
Gasoil - unspecified						
64742-46-7						
4,5-Dichloro-2-octyl-2H-	LC50	0,26 mg/l	dust/mist	4 h	rat	not specified
isothiazol-3-one						
64359-81-5						

Acute dermal toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Destillates (Petroleum),	LD50	> 5.000 mg/kg	dermal		rabbit	OECD Guideline 402 (Acute
Hydrocarbon aliph						Dermal Toxicity)
dearomat <0.1% benzene						-
64742-47-8						
Distillates (Petroleum)	LD50	> 2.000 mg/kg	dermal		rabbit	OECD Guideline 402 (Acute
hydrotreated middle;						Dermal Toxicity)
Gasoil - unspecified						•
64742-46-7						

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Hazardous components		Result	Exposure	Species	Method
CAS-No.			time		
Destillates (Petroleum),	slightly irritating			rabbit	OECD Guideline 405 (Acute
Hydrocarbon aliph					Eye Irritation / Corrosion)
dearomat <0.1% benzene					
64742-47-8					

MSDS-No.: 41100 Sista F 101 all colours Page 7 of 11

V003.1

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	not sensitising			OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	negative	bacterial reverse mutation assay (e.g Ames test)			OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	negative	in vitro mammalian chromosome aberration test			OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
	negative	mammalian cell gene mutation assay			OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
	negative	sister chromatid exchange assay in mammalian cells			OECD Guideline 479 (Genetic Toxicology: In Vitro Sister Chromatid Exchange Assay in Mammalian Cells)
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	negative				OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative				OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test)

Carcinogenicity:

Hazardous components CAS-No.	Result	Species	Sex	Exposure timeFrequenc y of treatment	Route of application	Method
Destillates (Petroleum),	not carcinogenic					OECD Guideline 453
Hydrocarbon aliph						(Combined Chronic
dearomat <0.1% benzene						Toxicity / Carcinogenicity
64742-47-8						Studies)

SECTION 12: Ecological information

General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains, soil or bodies of water.

MSDS-No.: 41100 Sista F 101 all colours Page 8 of 11

V003.1

12.1. Toxicity

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	LL0	1.000 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
04/42-47-0	LL50	> 250 mg/l	Fish	96 h	Danio rerio	OECD Guideline 203 (Fish, Acute
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	EL0	1.000 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
	EC50	> 1.000 mg/l	Daphnia	48 h	Daphnia magna	Test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	EL0	1.000 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	Test) OECD Guideline 201 (Alga, Growth Inhibition Test)
Distillates (Petroleum) hydrotreated middle; Gasoil - unspecified 64742-46-7	LC50	> 10.000 mg/l	Fish	96 h	Pimephales promelas	OECD Guideline 203 (Fish, Acute Toxicity Test)
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	NOEC	0,00056 mg/l	Fish	97 d	Oncorhynchus mykiss	OECD Guideline 210 (fish early lite stage toxicity test)
04337-01-3	LC50	0,0027 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	EC50	0,0057 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	EC50	0,077 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	EC 50	5,7 mg/l	Bacteria	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	NOEC	0,00063 mg/l	chronic Daphnia	21 d	Daphnia magna	Inhibition Test) OECD 211 (Daphnia magna, Reproduction Test)

12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	readily biodegradable	not specified	69 %	OECD 301 A - F
Distillates (Petroleum) hydrotreated middle; Gasoil - unspecified 64742-46-7		aerobic	30 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	Rapidly degradable	not specified	> 60 %	OECD 301 A - F

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogPow Bio	oconcentration	Exposure	Species	Temperature	Method
CAS-No.	f	factor (BCF)	time			

MSDS-No.: 41100 Sista F 101 all colours Page 9 of 11

V003.1

4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5 4,5-Dichloro-2-octyl-2H- isothiazol-3-one 64359-81-5	2,42	750		Lepomis acrochirus		OECD Guideline 305 (Bioconcentration: Flow- through Fish Test) OECD Guideline 107 (Partition Coefficient (n- octanol / water), Shake Flask Method)	
--	------	-----	--	-----------------------	--	--	--

12.5. Results of PBT and vPvB assessment

Hazardous components CAS-No.	PBT/vPvB		
Destillates (Petroleum), Hydrocarbon aliph dearomat <0.1% benzene 64742-47-8	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.		
Distillates (Petroleum) hydrotreated middle; Gasoil - unspecified 64742-46-7	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.		
4,5-Dichloro-2-octyl-2H-isothiazol-3-one 64359-81-5	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.		

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages: Use packages for recycling only when totally empty.

Waste code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

MSDS-No.: 41100 Sista F 101 all colours Page 10 of 11

V003.1

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content 10 % (VOCV 814.018 VOC regulation

CH)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: 1, slightly water-endangering product. (German VwVwS of May 17, 1999)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 11

MSDS-No.: 41100 Sista F 101 all colours Page 11 of 11

V003.1

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.