

Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

Article number: 04130000, 04130150, 04131410, 04132000, 04132050

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Saxon

Everland Road,

Hungerford, Berkshire, RG17 0DX, UK Tel: 01488 689 400 | Fax: 01488 684317

e-mail: info@saxon-brands.com

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void

Hazard statements Void

Precautionary statements P102 Keep out of reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Cloth, soaked with aqueous tenside solution containing alcohol

Dangerous components:

Data of the soaking liquid

Γ	CAS: 107-98-2	1-Methoxy-2-propanol	5-<10%
		♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336	
	Reg.nr.: 01-2119457435-35-xxxx		
T	CAS: 64-17-5	ethanol	1-<3%
	EINECS: 200-578-6	♦ Flam. Liq. 2, H225; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
	Reg.nr.: 01-2119457610-43-xxxx	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	
			<u> </u>

(Contd. on page 2)



Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 1)

Regulation (EC) No 648/2004 on detergents / Labelling for contents	. o. pago .
anionic surfactants	<5%
perfumes, phenoxyethanol, sodium pyrithione	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required. **After inhalation:** No special measures required **After skin contact:**

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

GB



Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 107-98-2 1-Methoxy-2-propanol

WEL (Great Britain) | Short-term value: 560 mg/m³, 150 ppm | Long-term value: 375 mg/m³, 100 ppm | Sk |

IOELV (EU) | Short-term value: 568 mg/m³, 150 ppm | Long-term value: 375 mg/m³, 100 ppm | Skin

CAS: 64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

Regulatory information WEL (Great Britain): EH40/2018

IOELV (EU): (EU) 2017/164 **DNELs**

CAS: 107-	·98-2 1·	-Methoxy-2-propanol
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)
		50.6 mg/kg (worker) (long-term / systemic effects)
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)
		553.5 mg/m³ (worker) (short-term / local effects)
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)
CAS: 64-1	7-5 eth	nanol
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)
		950 mg/m³ (worker) (long-term exposure - systemic effects)

PNECs

CAS: 107-98-2 1-Methoxy-2-propanol

PNEC 100 mg/l (STP)
100 mg/l (water (intermittent release))
10 mg/l (water (fresh water))
1 mg/l (water (sea water))
PNEC 2.47 mg/kg (gro)

41.6 mg/kg (sediment (fresh water)) 4.17 mg/kg (sediment (sea water))

CAS: 64-17-5 ethanol

PNEC | 0.96 mg/l (water (fresh water)) | 0.79 mg/l (water (sea water)) | PNEC | 3.6 mg/kg (sediment (fresh water)) | 2.9 mg/kg (sediment (sea water)) | 0.63 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 4)



Version: 4.00 Printing date 12.02.2021 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 3)

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection: Not required. Protection of hands: Not required. Eye protection: Not required.

SECTION 9: Physical and chemical properties

9.1 Information on	hasic n	hveical	and cl	hemical	nronerties
3. i illiolillaudii dii	Dasic P	niyəlcai	aiiu ci	lellillai	properties

General Information

Appearance:

Form: Solid Colour: White Odour: Citrus

Odour threshold: Not determined.

Important information on protection of health and

environment, and on safety. Data of the soaking liquid

7.0 - 8.0 pH-value at 20 °C:

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 78 - 120 °C Flash point: Not applicable. Flammability (solid, gas): Not determined. Decomposition temperature: Not determined. Auto-ignition temperature: Product is not selfigniting. Product does not present an explosion hazard. Explosive properties: **Explosion limits:** Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20 °C: 0.99 - 1.00 g/cm3 Relative density Not determined. Vapour density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Fully miscible. Partition coefficient: n-octanol/water: Not determined.

10 - 15 s (DIN EN ISO 2431/4mm)

No further relevant information available.

SECTION 10: Stability and reactivity

Flow time at 20 °C

9.2 Other information

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.



Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 4)

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:			
CAS: 107-	-98-2 1-Me	ethoxy-2-propanol		
Oral	LD50	4,016 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Inhalative	LC0 / 6h	>7,000 ppm (rat)		
CAS: 64-1	CAS: 64-17-5 ethanol			
Oral	LD50	5,560 mg/kg (guinea pig)		
		3,450 mg/kg (mouse)		
		7,060 mg/kg (rat)		
		6,300 mg/kg (rabbit)		
Dermal	LD50	>2,000 mg/kg (rat)		
Inhalative	LC50/4d	20,000 mg/l (rat)		

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Repeated dose toxicity

CAS: 64-17-5 ethanol

Oral LOAEL 3,160 mg/kg (rat) NOAEL 1,730 mg/kg (rat)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture

12.1 TOXICI	ty There are no ecoloxicological data available on this mixture.
Aquatic tox	cicity:
CAS: 107-9	8-2 1-Methoxy-2-propanol
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 64-17	-5 ethanol
LC50 / 48h	8,140 mg/l (Leuciscus idus)
LC50 / 24h	>100 mg/l (Daphnia magna)
EC5 / 16h	6,500 mg/l (Pseudomonas putida)
EC50 / 48h	9,268 mg/l (Daphnia magna)
12.2 Persis	tence and degradability
CAS: 107-9	8-2 1-Methoxy-2-propanol
Biodegradia	ation 90-100 % (OEECD 301E)

(Contd. on page 6)



Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 5)

12.3 Bioaccumulative potential

CAS: 107-98-2 1-Methoxy-2-propanol

log Kow ≤0.43 log Kow (25°C)

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product may not be released into the environment without control.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 03 01 mixed municipal waste

15 01 02 plastic packaging

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 7)



Printing date 12.02.2021 Version: 4.00 Revision: 30.07.2019

Trade name: SONAX CLEAN&DRIVE Turbo Interior Cloth

(Contd. of page 6)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Version history and indication of changes: Replaces version 3.00.

* Data compared to the previous version altered.